Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L8	5	7 AND 4	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 17:12
	:		; IBM_TDB	*		
L7	7393	(709/202,223,224).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 17:12
			; IBM_TDB			
L5	9	3 AND @ad<"20000809"	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 17:11
	٠	4	;	*.	7	
S3	261	 S2 AND @ad<"20000809"	IBM_TDB US-PGPU	SAME	ON	2005/03/22
	201	52 MVD @ad \ 20000009	B; USPAT; EPO; JPO; DERWENT	SAME	ON	17:07
			, IBM_TDB			
L6	43	4 AND @ad<"20000809"	US-PGPU B; USPAT; EPO; JPO;	SAME	ON	2005/03/22 17:07
	*		DERWENT		10	
L4	95	2 SAME (monitoring NEAR2	IBM_TDB US-PGPU	SAME	ON	2005 (02 (00
D4	93	(tool OR device OR module))	B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 17:07
			IBM_TDB			
L3	19	1 SAME (monitoring NEAR2 (tool OR device OR module))	US-PGPU B; USPAT; EPO; JPO;	SAME	ON	2005/03/22 17:07
-		- A 1 - F	DERWENT ; IBM_TDB	e _{dd}		
L2	26579	(listen\$3 OR determin\$3) (storage OR file OR (data NEAR2 file)) (up\$1load\$3 OR tansmit\$4 OR transfer\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 17:06
			IBM_TDB			

L1	6965	(listen\$3 OR determin\$3) (storage OR file OR (data NEAR2 file)) (up\$1load\$3 OR tansmit\$4 OR transfer\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/03/22 17:06
			; IBM_TDB			
S15	6775	(listen\$3 OR determin\$3)WITH (storage OR file OR (data NEAR2 file))WITH (upload\$3 OR tansmit\$4 OR transfer\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/22 17:05
S46	11	S45 AND @ad<"20000809"	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
			, IBM_TDB		:	
S45	27	(data ADJ collector)AND (monitor\$3 NEAR2 (tool OR program OR module))AND S44	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
		(m)	ibm_tdb			
S44	3737	(709/224).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 13:56
			IBM_TDB			
S43	2	("6681243").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 13:56
			; IBM_TDB			
S42	17	determin\$3 WITH available WITH storage WITH upload\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
		·	IBM_TDB			* *
S41	3	S39 AND (monitoring NEAR4 tool)	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
		·	ibm_tdb			**
S40	1	S39 AND monitoring NEAR tool	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
			, IBM_TDB			

000	5.40	222 2445		04377	0.11	2005 100 100
S39	549	S38 SAME availab\$5	US-PGPU B; USPAT; EPO; JPO; DERWENT ;	SAME	ON	2005/03/22 13:56
			IBM_TDB			
S38	6964	(listen\$3 OR determin\$3)WITH (storage OR file OR (data NEAR2 file))WITH (upload\$3 OR tansmit\$4 OR transfer\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
		transier + i	, IBM_TDB			
S37	50	S35 AND S36	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
			; IBM_TDB			
S36	128075	monitor\$3 SAME	US-PGPU	SAME	ON	2005/03/22 13:56
,		(configuration OR status)	B; USPAT; EPO; JPO; DERWENT	: 4"		13:30.
	E	9	; IBM_TDB =	*		
S35	50	S34 AND split\$4 AND (data NEAR2 (chunk OR packet))	US-PGPU B; USPAT; EPO; JPO; DERWENT ;	SAME	ON	2005/03/22 13:56
			IBM_TDB			. (3)
S34	51	S33 AND @ad<"20000809"	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
	į.		; IBM_TDB			
S33	63	S32 AND (agent OR collector)	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
			; IBM_TDB			
S32	67	S31 AND SNMP	US-PGPU B; USPAT;	SAME	ON	2005/03/22 13:56
		11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EPO; JPO; DERWENT	in the second	*	
			; IBM_TDB	`-		7
S31-	97	(monitoring NEAR2 tool)AND (central NEAR2 (cite OR locatiion OR management))	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
			; IBM_TDB			

						
S30	2	(monitoring NEAR2 tool)SAME (central NEAR2 (cite OR locatiion OR management))	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
	<u>.</u>		IBM_TDB			
S29	16	split\$4 WITH data WITH chunk SAME packet\$7	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
			IBM_TDB			
S28	7	S27 AND (central NEAR3 site)	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
			; IBM_TDB			
S27	195	S26 AND (split\$4 OR packet\$7)	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
			; IBM_TDB			
S26	265	S25 AND @ad<"20000809"	US-PGPU B; USPAT; EPO; JPO; DERWENT ;	SAME	ON	2005/03/22 13:56
,		to the second of	IBM_TDB	· · · · · · · · · · · · · · · · · · ·	9.46	is - 1 mare 1874 - Vescara V.
S25	558	(determin\$3 OR identify\$3)SAME S24	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/22 13:56
S24	2185	SNMP SAME (agent OR collector OR (data ADJ collector))	US-PGPU B; USPAT; EPO; JPO; DERWENT	SAME	ON	2005/03/22 13:56
			; IBM_TDB			